



OFFICIAL LISTING

NSF International Certifies that the products appearing on this Listing conform to the requirements of NSF/ANSI Standard 2 - Food Equipment

This is the Official Listing recorded on February 4, 2014.

**Danfoss A/S
Nordborgvej 81
DK-6430 Nordborg
Denmark
45 74 88 5145**

Facility: Beijing, China

Refrigeration Temperature Controller/Thermometer - ERC controls for Splash Zone [1] [2]

- ERC 101 (1)(2) with standard sensor, -40°C to 80°C/-40°F to 176°F
- ERC 101 (1)(2) with TPE precision sensor, -20°C to 100°C/-4°F to 212°F
- ERC 102 (1)(2) with standard sensor, -40°C to 80°C/-40°F to 176°F
- ERC 102 (1)(2) with TPE precision sensor, -20° to 100°C/-4° to 212°F
- ERC 103 (1)(2) with standard sensor, -40°C to 80°C/-40°F to 176°F
- ERC 103 (1)(2) with TPE precision sensor, -20° to 100°C/-4° to 212°F
- ERC 111 (1)(2) with standard sensor, -40°C to 80°C/-40°F to 176°F
- ERC 111 (1)(2) with TPE precision sensor, -20°C to 100°C/-4°F to 212°F
- ERC 112 (1)(2) with standard sensor, -40°C to 80°C/-40°F to 176°F
- ERC 112 (1)(2) with TPE precision sensor, -20° to 100°C/-4° to 212°F
- ERC 113 (1)(2) with standard sensor, -40°C to 80°C/-40°F to 176°F
- ERC 113 (1)(2) with TPE precision sensor, -20° to 100°C/-4° to 212°F

Thermostat [3]

ETC1H(1)

Thermostat - ERC controls for Splash Zone Accessories [1] [2]

RDI 07A(1)(2) RDI 107A(1)(2) RSP 01(3)(2)

[1] (1) Number of relays. (Letter from A - 1 relay to D - 4 relays).
 (2) Ordering number
 (3) Number indicating series of control.

[2] Available with standard and TPE precision sensors, as indicated in the instructions.

[3] (1) Indicates the number of relays: 1, 2, or 3.