


WIRE COLOR SCHEME
 BLACK - LINE VOLTAGE
 RED - AC CONTROL
 WHITE - AC GROUNDED
 CIRCUIT CONDUCTOR
 BLUE - DC CONTROL
 BLU/WHT - DC CONTROL COMMON
 GREEN - CHASSIS GROUND



			-NOTICE-		DRN JNW 3/2/11		NAME DWG,P2, ECB,FD, ----		THE TRANE COMPANY A DIVISION OF AMERICAN STANDARD INC.	
002	LP11061	9/23/11	THIS DRAWING IS PROPRIETARY AND SHALL NOT BE COPIED OR ITS CONTENTS DISCLOSED TO OUTSIDE PARTIES WITHOUT THE WRITTEN CONSENT OF THE TRANE COMPANY			APR	MODEL	PAGE 1 OF 2	SIZE A	DWG NO. 177R0327
REV	ECN	DATE								

002	LP11061	9/23/11
REV	ECN	DATE

-NOTICE-
 THIS DRAWING IS PROPRIETARY AND SHALL NOT
 BE COPIED OR ITS CONTENTS DISCLOSED TO
 OUTSIDE PARTIES WITHOUT THE WRITTEN
 CONSENT OF THE TRANE COMPANY

DRN JNW
 3/2/11
 APR

NAME DWG,P2,
 ECB,FD,


 MODEL

PAGE 2 OF 2

SIZE A

DWG NO. 177R0327

THE TRANE COMPANY
 A DIVISION OF
 AMERICAN STANDARD INC.



CUSTOMER CONNECTIONS X56,X57,X59
 CLASS 2 POWER SOURCE
 REQUIRED FOR FIELD CONNECTION
 USE CLASS 1 CONDUCTORS
 CONDUCTOR SIZE 28-14 AWG

TO PAGE 1
 BLU/WHT 100
 BLU 28

TO PAGE 1
 100 BLU/WHT (A2) M3

TO PAGE 1
 100 BLU/WHT (96) O.L. TRIP (99)

CUSTOMER SUPPLIED BYPASS MODE ENABLE 24 VDC, 0.25 A
 CUSTOMER SUPPLIED MANUAL BYPASS OVERRIDE 24 VDC, 0.25 A
 CUSTOMER SUPPLIED O.L. RESET 24 VDC, 0.25 A

CUSTOMER CONNECTION DRIVE MODE LOAD
 CUSTOMER CONNECTION BYPASS MODE LOAD