

Danfoss A/S

6430 Nordborg Denmark CVR nr.: 20 16 57 15

Telephone: +45 7488 2222 Fax: +45 7449 0949

EU DECLARATION OF CONFORMITY

Danfoss A/S

Danfoss Drives

declares under our sole responsibility that the

Product category: Frequency Converter

Character X: N or P

Character YYY: K37, K75, 1K1, 1K5, 2K2, 3K0, 3K7, 4K0, 5K5, 7K5, 11K, 15K, 18K, 22K, 30K, 37K, 45K, 55K, 75K, 90K, 110, 132, 150, 160, 200, 250, 315, 355, 400, 450, 500, 560, 630, 710, 800, 900, 1M0, 1M2, 1M4

Character ZZ: T2, T4, T6, T7

The meaning of the 39 characters in the type code string can be found in appendix 00729776.

Covered by this declaration is in conformity with the following directive(s), regulation(s), standard(s) or other normative document(s), provided that the product is used in accordance with our instructions.

Low Voltage Directive 2014/35/EU

EN61800-5-1:2007+A1:2017+A11:2021 Adjustable speed electrical power drive systems -

Part 5-1: Safety requirements - Electrical, thermal and

energy.

EMC Directive 2014/30/EU

EN61800-3:2004 + A1:2012 Adjustable speed electrical power drive systems – Part 3:

EMC requirements and specific test methods.

RoHS Directive 2011/65/EU including amendment 2015/863.

EN IEC63000:2018 Technical documentation for the assessment of electrical

and electronic products with respect to the restriction of

hazardous substances



Danfoss only vouches for the correctness of the English version of this declaration. In the event of the declaration being translated into any other language, the translator concerned shall be liable for the correctness of the translation

^{*} may be any number or letter indicating drive options which do not impact this DoC.

Commission Regulation (EU) 2019/1781 under the Ecodesign Directive 2009/125/EC including amendment in Commission Regulation (EU) 2021/341

EN61800-9-2:2017

Adjustable speed electrical power drive systems - Part 9-2: Ecodesign for power drive systems, motor starters, power electronics and their driven applications - Energy efficiency indicators for power drive systems and motor starters.

For products including available Safe Torque Off (STO) function according to unit typecode on the nameplate: **X, B or R at character 18 of the typecode.** The following directives apply:

Machine Directive 2006/42/EC

EN/IEC 61800-5-2:2007

(Safe Stop function conforms with STO – Safe

Torque Off, SIL 2 Capability)

Adjustable speed electrical power drive systems - Part 5-2: Safety requirements - Functional

Other standards considered:

EN ISO 13849-1:2015

(Safe Stop function, PL d)

Safety of machinery - Safety-related parts of control systems - Part 1: General principles for design

Functional safety of electrical/electronic/ programmable electronic safety-related systems

Part 1: General requirements

Part 2: Requirements for electrical/electronic/ programmable electronic safety-related systems Safety of machinery - Functional safety of safetyrelated electrical, electronic and programmable

electronic control systems

Safety of machinery - Electrical equipment of machines - Part 1: General requirements

EN/IEC 62061:2021 (Safe Stop function, SILCL 2)

EN/IEC 60204-1:2006 + A1:2009 (Stop Category 0)

For products including ATEX option, it requires STO function in the products. The products can have the VLT PTC Thermistor Card MCB112 installed from factory (2 at character 32 in the typecode), or it can be separately installed as an additional part.

2014/34/EU - Equipment for explosive atmospheres (ATEX)

EN50495: 2010 Safety devices required for safe functioning of equipment with respect to explosion risks.

Notified Body:

PTB Physikalisch-Technische Bundesanstalt, Bundesallee 100, 38116 Braunschweig,

has assessed the conformity of the "ATEX certified motor thermal protection systems" of Danfoss FC VLT

Notified Body no. (PQAN): 0539

Drives with Safe Torque Off function and has issued the certificate PTB 14 ATEX 3009.



ID No: 00730213 This doc. is managed by 500B0577 Revision No: A, 7 Page 2 of 4



Danfoss A/S

6430 Nordborg Denmark CVR nr.: 20 16 57 15

Telephone: +45 7488 2222 Fax: +45 7449 0949

UK DECLARATION OF CONFORMITY

Danfoss A/S

Danfoss Drives

declares under our sole responsibility that the

Product category: Frequency Converter

Character X: N or P

Character YYY: K37, K75, 1K1, 1K5, 2K2, 3K0, 3K7, 4K0, 5K5, 7K5, 11K, 15K, 18K, 22K, 30K, 37K, 45K, 55K, 75K, 90K, 110, 132, 150, 160, 200, 250, 315, 355, 400, 450, 500, 560, 630, 710, 800, 900, 1M0, 1M2, 1M4

Character ZZ: T2, T4, T6, T7

The meaning of the 39 characters in the type code string can be found in appendix 00729776.

Covered by this declaration is in conformity with the following directive(s), regulation(s), standard(s) or other normative document(s), provided that the product is used in accordance with our instructions.

Electrical Equipment (Safety) Regulations 2016

BS EN61800-5-1:2007+A1:2017+A11:2021 Adjustable speed electrical power drive systems – Part 5-1: Safety requirements – Electrical, thermal and energy.

Electromagnetic Compatibility Regulations 2016

BS EN61800-3:2004 + A1:2012 Adjustable speed electrical power drive systems – Part 3:

EMC requirements and specific test methods.

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment

Regulations 2012 as amended

BS EN IEC63000:2018 Technical documentation for the assessment of electrical and electronic products with respect to the restriction of

Date: 2023.07.12 Issued by Date: 2023.07.12 Approved by DocuSigned by: DocuSigned by: Place of issue: Place of issue: Peder Spek Chintan Kharche Graasten, DK Graasten, DK Signature: Signature: C000C54644DE4B9 Name: Chintan Kharche Name: Peder Schmidt Spek Title: Produkt Manager Title: Head of BU Product Mgm. HVAC/R

Danfoss only vouches for the correctness of the English version of this declaration. In the event of the declaration being translated into any other language, the translator concerned shall be liable for the correctness of the translation

^{*} may be any number or letter indicating drive options which do not impact this DoC.

hazardous substances

Commission Regulation (EU) 2019/1781 under the Ecodesign Directive 2009/125/EC including amendment in Commission Regulation (EU) 2021/341

BS EN61800-9-2:2017

Adjustable speed electrical power drive systems - Part 9-2: Ecodesign for power drive systems, motor starters, power electronics and their driven applications - Energy efficiency indicators for power drive systems and motor starters.

For products including available Safe Torque Off (STO) function according to unit typecode on the nameplate: **X, B or R at character 18 of the typecode.** The following regulations apply:

Supply of Machinery (Safety) Regulations 2008

BS EN/IEC 61800-5-2:2007

(Safe Stop function conforms with STO – Safe

Torque Off, SIL 2 Capability)

Adjustable speed electrical power drive systems - Part 5-2: Safety requirements - Functional

Other standards considered:

BS EN ISO 13849-1:2015

(Safe Stop function, PL d)

control systems - Part 1: General principles for design

Safety of machinery - Safety-related parts of

Functional safety of electrical/electronic/ programmable electronic safety-related systems

Part 1: General requirements

Part 2: Requirements for electrical/electronic/ programmable electronic safety-related systems Safety of machinery - Functional safety of safetyrelated electrical, electronic and programmable

electronic control systems

Safety of machinery - Electrical equipment of machines - Part 1: General requirements

BS EN/IEC 62061:2021 (Safe Stop function, SILCL 2)

BS EN/IEC 60204-1:2006 + A1:2009 (Stop Category 0)

For products including ATEX option, it requires STO function in the products. The products can have the VLT PTC Thermistor Card MCB112 installed from factory (2 at character 32 in the typecode), or it can be separately installed as an additional part.

Equipment and Protective Systems Intended for use in Potentially Explosive Atmospheres Regulations 2016 BS EN50495: 2010 Safety devices required for safe functioning of equipment with respect to explosion risks.

Notified Body:

PTB Physikalisch-Technische Bundesanstalt, Bundesallee 100, 38116 Braunschweig.

has assessed the conformity of the "ATEX certified motor thermal protection systems" of Danfoss FC VLT

Notified Body no. (PQAN): 0539

Drives with Safe Torque Off function and has issued the certificate PTB 14 ATEX 3009.



ID No: 00730213 This doc. is managed by 500B0577 Revision No: A, 7