



Danfoss A/S

DK-6430 Nordborg
Denmark
CVR nr.: 20 16 57 15

Telephone: +45 7488 2222
Fax: +45 7449 0949

EU DECLARATION OF CONFORMITY

Danfoss A/S
Vacon Ltd

declares under our sole responsibility that the

Product(s) Vacon 20 CP and Vacon 20 X AC drives
Type(s) Vacon 0020 1L 0004 2...0007 2 CP Vacon 0020 1L 0004 2...0007 2 X
 Vacon 0020 3L 0004 2...0017 2 CP Vacon 0020 3L 0004 2...0017 2 X
 Vacon 0020 3L 0003 4...0016 4 CP Vacon 0020 3L 0003 4...0016 4 X
 Vacon 0020 3L 0003 5...0016 5 CP Vacon 0020 3L 0003 5...0016 5 X

Product Safety Functions:

Safe Torque Off (IEC 61800-5-2:2016) and Emergency stop (IEC 60204-1:2016 in extracts) available only on three-phase models.

Covered by this declaration is in conformity with the following directive(s), standard(s) or other normative document(s), provided that the product is used in accordance with our instructions.

- IEC 61800-5-2:2016
- EN 61800-5-1:2007 (LV Directive compliance)
- EN 61800-3:2004+A1:2012 (EMC Directive compliance)
- ISO 13849-1:2015
- IEC 62061:2015

and conforms to the relevant safety provisions of Low Voltage Directive 2006/95/EC (until April 19th, 2016), 2014/35/EU (from April 20th, 2016) and EMC Directive 2004/108/EC (until April 19th, 2016), 2014/30/EU (from April 20th, 2016), and EC Machinery Directive 2006/42/EC.

Notified body that carried out the EC type examination:

TÜV Rheinland Industrie Service GmbH,
Alboinstr. 56, 12103 Berlin / Germany
Certification Body for Machinery NB 0035, Certificate No. 01/205/5215.01/17 (applied to 480V, 500V)

The year the CE marking was affixed: 2012

Date 16-02-2017	Issued by Signature Name: Antti Vuola Title: Head of Standard Drives	Date 16-02-2017	Approved by Signature Name: Timo Kasi Title: VP, Design Center Finland and Italy
---------------------------	--	---------------------------	--

Danfoss only vouches for the correctness of the English version of this declaration. In the event of the declaration being translated into any other language, the translator concerned shall be liable for the correctness of the translation