



CONTROL COMPARTMENT DOOR IS NOT SHOWN IN THE DRAWING FOR SHOWING INTERNAL COMPONENTS IN CONTROL COMPARTMENT ONLY CONTROL COMPARTMENT UNIT IS SHOWN FOR BETTER CLARITY

CONTROL COMPARTMENT TERMINAL

MOTOR TERMINAL

MAINS INPUT

GROUND TERMINAL

REFER NOTE 3

4X DETAIL B SCALE 0.750

SEE DETAIL B

6X DETAIL B SCALE 0.300

- NOTE:
1. BACK CHANNEL COOLING: BOTTOM IN TOP OUT
  2. CABLE FEED: BOTTOM ENTRY & BOTTOM OUT
  3. PLINTH HEIGHT CAN BE OF 100, 200, & 400mm HEIGHT.

▽ CRITICAL CHARACTERISTICS  
 ▽ KEY CHARACTERISTICS  
 ○ INSPECTION  
 MUST COMPLY TO ROHS DIRECTIVE 2011/65/EU

INTERPRET DIM. & TOL. PER ASME Y14.5M-1994		THIRD ANGLE PROJECTION	SCALE	SIZE	MATERIAL
ALL DIMENSIONS ARE IN MILLIMETERS			0.150	A1	
TOLERANCES UNLESS OTHERWISE SPECIFIED					FINISH
±0.10 ±0.20 ±0.50 ±1.0					DESCRIPTION
<p>— PDM CONTROLLED DRAWING —          NOT VALID WITHOUT FROZEN DATE IN ID STAMP</p>					
CHANGED	SABARISH	MAY-21-19			
DESIGNED	Lauri	FEB-08-19			
CHECKED					
<p>CONFIDENTIAL: PROPERTY OF DANFOSS A/S NORBORG, DENMARK. NOT TO BE HANDED OVER TO BE COPIED OR BE USED BY A THIRD PARTY. TWO OR THREE DIMENSIONAL REPRODUCTION OF CONTENTS TO BE AUTHORIZED BY DANFOSS A/S.</p>					
REVISION	132R0265	REV	002		
DATE	132R0265	SHEET	1 OF 3		



